



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com

Suzuki GSX-S 1000 GT


Tail Tidy





Kit Contents


- Ⓐ 1 x Retro Light
- Ⓑ 1 x Connector 10
- Ⓒ 2 x M4 Flange Nut
- Ⓓ 2 x No 2 P-clip
- Ⓔ 2 x M4 x 5mm Black Button Bolts
- Ⓕ 2 x M5 x 12mm Black Button Bolts
- Ⓖ 4 x M6 x 16mm Black Button Bolts
- Ⓗ 4 x Rubber Spacer

EVER PERFORMANCE[®]












Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides





Repeat
Both Sides





Repeat
Both Sides
















RELEASE



RE-SET


RE-FIT




































WARNING Protected by
DATATAG







Repeat
Both Sides



Repeat
Both Sides




Repeat
Both Sides




OEM PART

Repeat
Both Sides




OEM PART


Repeat
Both Sides





Repeat
Both Sides





Repeat
Both Sides














Caution

Run wires neatly down the channel in both parts ensuring they do not get trapped or squashed















OEM PART
















Caution

Run wires neatly down the channel in both parts ensuring they do not get trapped or squashed













IMPORTANT!
CATATAG
Each new keeper of
this equipment **MUST**
re-register with Catatag
00 44 (0) 3530 700 440 (54)
www.catatag.co.uk





Caution


Install Rubber Washers
Between The Tail Tidy and
The Undertray.






EVOTECH[®]

P E R F O R M A N C E







ESSENTIAL CHECKS

After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com